



41. The device according to claim 26, wherein said wrist-mounted communication device further comprises a display unit.

42. The device according to claims 40 and 29, wherein said keypad unit and said watch unit are in opposite relationship on a user's wrist.

43. The device according to claims 41 and 29, wherein said display unit and said watch unit are in opposite relationship on a user's wrist.--

### Remarks

#### **I. Introduction**

All pending claims are hereby deleted.

New claims 26-43 have been added.

No new matter has been added.

Thus, claims 26-43 are pending in this application and are hereby presented for consideration by the Examiner.

### Fees

Any additional fees or charges required at this time in connection with this application may be charged to Patent and Trademarks Office Deposit Account No. 19-2825.

### Conclusion

In view of the aforementioned preliminary amendment and remarks, it is respectfully submitted that all claims currently pending in the above identified application are now in condition for allowance, the earliest possible notice of which is earnestly solicited. If in the




Examiner's opinion the prosecution of the present application would be advanced by a telephone interview, he is invited to contact the undersigned at the telephone number listed below.

Respectfully submitted,

SOFER & HAROUN, L.L.P.

By

  
Thomas C. Hughes  
Reg. No. 42,674  
342 Madison Avenue  
Suite 1921  
New York, NY  
(212) 697-2800

Dated: April 17, 2001



1 claim:

RECEIVED

APR 30 2001

TECHNOLOGY CENTER 2800

26. A wrist-mounted telecommunication device for attaching to a wearer's wrist, the device comprising an antenna system having at least a first section coupled to said device and configured to transmit and receive communication signals, said antenna having a biasing mechanism wherein said antenna is held in horizontal plan position of said wrist-mounted communication device when said device is not in use by a user, and said biasing mechanism releases said antenna in a desired position relative to said horizontal plan when said wrist-mounted communication device is in use by said user.

RECEIVED

MAY 4 2001

Technology Center 2600

27. The device according to claim 26, wherein said antenna is covered by a removable cover, wherein in closed position said cover holds said antenna in said horizontal position and wherein when said cover is removed, said biasing mechanism releases said antenna to said desired position.

28. The device according to claim 27, wherein said cover is a removable handset of said wrist-mounted communication device.

29. The device according to claim 26, wherein said wrist-mounted communication device further comprises a watch unit.

30. The device according to claim 29, wherein while attached to said wrist-mounted communication device, said cover and said watch unit are in opposite relationship on a user's wrist.

31. The device according to claim 27, wherein the back cover of said cover is made from the same material as the external part of said wrist-mounted communication device so that when said cover is positioned on said wrist communication device, the entire communication

device appears in a uniformly integrated arrangement.

32. The device according to claim 26, wherein said antenna is expandable in its open position.

33. The device according to claim 32, further comprising an expansion antenna configured to rotate about said first antenna.

34. The device according to claim 26, further comprising at least a second antenna configured to operate independently from said first antenna.

35. The device according to claim 34, wherein said first and second antenna operate as a diversity antenna.

36. The device according to claim 34, wherein one end of said first antenna is coupled to said communication device and the other end of said first antenna is rotatably coupled to one end of said second antenna.

37. The device according to claim 34, wherein one end of said first and second antenna is rotatably coupled to said communication device such that said first and second antennas are adjustable to form an angle in relation to each other.

38. The device according to claim 28, wherein said handset is a multi-sectioned handset comprising at least two sections configured to move between a closed position and an open position, wherein in closed position said multi-sectioned handset is adapted to be as small as the largest section, and wherein in open position said sections of said multi-sectioned handset expand to provide an extended handset.



RECEIVED

APR 30 2001

TECHNOLOGY CENTER 28

39. The device according to claim 29, wherein said keypad is a multi-sectioned keypad comprising at least two sections configured to move between a closed position and an open position, wherein in closed position said multi-sectioned keypad is adapted to be as small as the largest section, and wherein in open position said sections of said multi-sectioned keypad expand to provide an extended keypad.

40. The device according to claim 26, wherein said wrist-mounted communication device further comprises a keypad unit.

41. The device according to claim 26, wherein said wrist-mounted communication device further comprises a display unit.

42. The device according to claims 40 and 29, wherein said keypad unit and said watch unit are in opposite relationship on a user's wrist.

43. The device according to claims 41 and 29, wherein said display unit and said watch unit are in opposite relationship on a user's wrist.